

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Administration
Bureau of Animal Industry

Chickens in NPIP Hatchery Supply Flocks and Their Distribution
by States and Varieties, 1941-42 to 1946-47

(based on data from 33 States in 1941-42; 40 States in 1942-43; 42 States in 1943-44; 39 States in 1944-45; 30 States in 1945-46 and 33 States in 1946-47)

		Percentage distribution by varieties							
Division	Total	New	White	White	Barred	Rhode Is-	White	Cross-	
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	mated	Others
North Atlantic									
Maine									
1941-42	489,754	21.6	.2	1.6	25.5	50.0	.3	.6	.2
1942-43	469,498	29.4	.1	2.2	25.6	42.0	.5	.2	.1
1943-44	557,272	30.0	.4	2.2	25.6	41.5	.3	-	.1
1944-45	585,378	33.9	.1	1.5	27.1	36.9	.2	.1	.1
1945-46	741,044	43.8	.03	1.4	23.8	30.4	.2	.4	.1
1946-47	667,728	46.8	.01	1.6	24.4	26.7	.3	.1	.004
New Hampshire									
1941-42	919,841	82.5	1.5	1.2	12.5	2.3	.04	-	.01
1942-43	996,173	81.0	1.3	1.2	13.0	3.3	.03	-	.02
1943-44	1,239,655	81.4	.9	1.3	11.3	5.0	.03	-	.06
1944-45	1,206,273	81.8	.8	1.2	13.0	3.2	.02	-	-
1945-46	1,297,934	82.2	.6	1.4	12.3	3.3	.02	-	.1
1946-47	1,249,485	83.9	.5	1.5	12.1	2.0	.03	-	.04
Vermont									
1941-42	85,717	34.0	.2	3.5	33.9	27.3	1.1	-	.04
1942-43	93,490	36.9	.4	2.5	34.9	24.2	1.0	-	.04
1943-44	101,485	37.0	.1	1.1	38.1	23.0	.7	-	-
1944-45	108,426	37.2	.1	.3	41.3	20.5	.6	-	-
1945-46	-	-	-	-	-	-	-	-	-
1946-47	138,073	38.4	.1	.4	41.6	19.5	.1	-	-
Massachusetts									
1941-42	662,906	6.0	1.4	3.4	16.5	71.8	-	-	.8
1942-43	475,634	6.5	1.4	1.7	16.9	72.9	.4	.2	.1
1943-44	631,966	7.5	13.1	3.8	14.2	60.9	.4	-	-
1944-45	646,156	11.9	1.6	3.7	16.5	65.7	.4	.3	-
1945-46	929,070	18.4	.9	2.7	18.1	58.8	.4	-	.6
1946-47	957,232	21.5	1.1	2.9	20.8	51.0	.3	-	2.3

Division State and Year	:Total :birds	Percentage distribution by varieties							
		: New :Hampshire	: White :Leghorn	: White : Rock	: Barred : Rock	: Rhode Is. : land Red	: White :Wyandotte	: Cross- :mated	: Others
Rhode Island									
1941-42	56,921	13.7	8.0	3.4	23.7	51.2	-	-	-
1942-43	-	-	-	-	-	-	-	-	-
1943-44	60,132	10.4	.8	4.4	22.8	59.3	-	1.3	1.0
1944-45	70,048	19.3	8.8	4.6	19.0	46.2	.04	.9	1.1
1945-46	78,595	14.4	6.6	4.9	25.8	43.2	.2	3.9	1.0
1946-47	76,683	24.4	4.6	5.3	22.8	39.6	-	2.8	.5
Connecticut									
1941-42	315,985	21.9	5.1	3.9	26.4	42.5	.1	-	.2
1942-43	342,987	19.1	5.7	4.3	27.5	42.7	.1	.5	.1
1943-44	389,428	17.7	4.0	4.9	26.5	45.9	.2	.8	.1
1944-45	-	-	-	-	-	-	-	-	-
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-
New York									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	233,940	20.5	58.8	1.9	6.5	9.5	.01	1.5	1.3
1943-44	-	-	-	-	-	-	-	-	-
1944-45	-	-	-	-	-	-	-	-	-
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-
New Jersey									
1941-42	236,044	17.9	53.1	5.8	14.8	7.3	.2	-	.9
1942-43	294,876	18.8	55.5	3.8	11.7	7.2	.1	-	2.9
1943-44	365,097	15.5	53.6	3.6	6.8	6.1	.1	13.4	1.0
1944-45	360,527	13.6	55.0	2.3	6.0	11.9	-	10.2	1.0
1945-46	438,182	18.9	49.5	2.2	5.6	12.4	-	10.8	.6
1946-47	484,438	10.2	58.2	1.9	3.3	11.2	.3	14.1	.9
Pennsylvania									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	-	-	-	-	-	-	-	-	-
1943-44	-	-	-	-	-	-	-	-	-
1944-45	-	-	-	-	-	-	-	-	-
1945-46	325,481	43.5	33.4	6.7	12.4	2.0	-	1.6	.4
1946-47	355,967	34.8	33.9	6.0	10.9	1.8	-	.3	12.3

Division	Total	Percentage distribution by varieties							
		New	White	White	Barred	Rhode Is-	White	Cross	
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	mated	Others

East North
Central

Ohio

1941-42	1,190,912	3.9	38.3	28.5	14.0	3.4	3.6	-	8.2
1942-43	1,222,276	6.6	38.1	28.1	13.5	3.4	3.4	1.8	5.2
1943-44	1,454,996	9.8	35.4	28.9	12.9	3.2	3.1	2.3	4.3
1944-45	1,188,955	13.9	32.3	29.4	12.2	3.3	3.1	2.4	3.4
1945-46	1,343,074	19.4	28.8	28.6	11.5	3.2	2.6	3.0	2.9
1946-47	1,351,558	23.4	27.0	28.8	9.4	3.2	2.6	3.1	2.5

Indiana

1941-42	-	-	-	-	-	-	-	-	-
1942-43	1,661,663	2.5	22.2	29.5	32.5	4.0	2.4	1.7	9.9
1943-44	1,741,590	3.2	19.9	24.5	35.6	4.3	2.2	1.8	3.5
1944-45	1,765,911	5.4	23.5	27.9	30.6	3.6	1.8	3.3	3.9
1945-46	2,360,605	9.0	20.3	28.5	27.3	4.1	2.0	5.0	3.7
1946-47	2,829,800	14.0	19.7	28.2	23.1	4.3	2.2	4.5	3.9

Illinois

1941-42	1,211,961	9.1	17.4	42.0	14.8	4.4	3.2	-	9.2
1942-43	1,462,964	10.4	19.7	41.8	13.6	3.4	3.1	-	8.1
1943-44	1,860,210	12.2	19.0	42.2	12.9	2.7	3.2	-	7.8
1944-45	1,534,631	15.4	18.0	41.9	11.7	2.6	3.1	1.5	5.9
1945-46	1,928,986	18.5	17.1	40.6	10.0	2.4	3.0	3.2	5.2
1946-47	2,843,398	16.1	17.5	35.5	8.5	2.4	3.6	9.6	6.7

Michigan

1941-42	192,808	2.9	59.9	7.6	18.1	4.0	.3	-	7.1
1942-43	226,126	4.6	59.9	10.9	18.1	4.3	-	.9	1.3
1943-44	239,714	4.8	56.2	12.7	19.4	4.7	.1	-	2.1
1944-45	186,125	7.9	52.1	12.1	19.0	6.0	.1	1.5	1.3
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-

Wisconsin

1941-42	237,162	4.1	74.7	12.8	1.6	1.1	1.9	-	3.7
1942-43	251,758	5.0	74.7	11.8	1.8	.9	2.1	2.0	1.7
1943-44	298,136	6.0	72.4	13.6	1.2	1.0	1.6	2.8	1.4
1944-45	286,263	6.8	74.3	12.9	1.1	.6	1.2	-	3.1
1945-46	343,033	9.6	70.6	14.3	.8	.5	.9	-	3.3
1946-47	321,893	8.6	73.1	13.8	.2	.2	.7	2.7	.7

Division State and Year	Total birds	Percentage distribution by varieties							
		New Hampshire	White Leghorn	White Rock	Barred Rock	Rhode Is- land Red	White Wyandotte	Cross- mated*	Others
West North Central									
Minnesota									
1941-42	747,570	2.9	66.8	12.3	1.9	-	1.5	9.0	5.7
1942-43	1,074,193	6.0	71.1	13.7	1.3	-	1.3	3.2	3.4
1943-44	1,331,802	3.6	69.2	11.5	.8	.7	.8	10.2	3.2
1944-45	1,294,229	4.6	67.4	9.0	.6	.7	.4	15.9	1.4
1945-46	1,534,340	5.3	64.8	9.3	.4	.8	.2	17.9	1.3
1946-47	1,883,741	5.4	66.5	7.5	.3	.5	.1	18.2	1.2
Iowa									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	835,082	9.6	35.9	28.9	5.7	2.7	2.3	7.5	7.4
1943-44	1,631,941	9.0	30.4	35.9	5.1	2.3	1.6	10.0	5.9
1944-45	915,418	10.4	34.7	26.0	4.9	2.3	1.5	14.9	5.4
1945-46	1,011,678	13.7	31.2	24.7	4.4	1.6	1.3	16.4	6.7
1946-47	1,073,477	12.4	30.9	25.7	4.2	2.2	1.0	15.2	8.1
Missouri									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	1,262,854	5.7	26.6	29.1	11.6	8.2	7.5	-	11.2
1943-44	1,984,595	7.5	26.7	27.7	9.6	6.7	7.8	3.7	10.3
1944-45	2,056,359	9.1	28.9	24.8	9.2	7.0	6.5	5.3	9.2
1945-46	2,405,182	13.9	24.2	23.6	8.1	6.2	5.8	9.6	8.7
1946-47	3,165,710	14.7	30.8	21.6	7.4	5.1	4.9	7.4	8.0
North Dakota									
1941-42	122,240	7.9	29.6	34.2	4.9	1.4	4.2	-	17.7
1942-43	163,785	11.9	32.0	34.0	4.0	1.9	3.2	-	12.9
1943-44	233,137	13.1	34.6	36.5	2.4	1.4	2.7	-	9.3
1944-45	180,881	17.0	33.0	36.1	1.8	1.1	2.0	4.3	4.7
1945-46	-	-	-	-	-	-	-	-	-
1946-47	236,438	20.4	29.2	32.1	1.2	.9	2.2	10.6	3.4
South Dakota									
1941-42	183,423	19.5	29.4	26.3	4.5	4.1	3.3	-	12.9
1942-43	210,510	19.8	25.7	33.2	4.5	4.1	2.1	4.7	6.0
1943-44	231,292	22.0	27.2	33.4	2.1	2.6	1.6	4.1	7.0
1944-45	201,448	18.4	30.6	32.0	2.0	2.3	1.4	12.0	1.4
1945-46	-	-	-	-	-	-	-	-	-
1946-47	270,424	17.5	30.7	23.1	1.4	1.1	1.1	23.3	1.7

Division State and Year	Total birds	Percentage distribution by varieties							
		New Hampshire	White Leghorn	White Rock	Barred Rock	Rhode Is. land Red	White Wyandotte	Cross mated	Others
Nebraska									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	37,671	.4	43.6	23.2	2.6	2.4	.7	24.9	2.3
1943-44	95,489	5.9	28.3	42.3	1.8	2.9	2.2	15.1	1.4
1944-45	95,120	7.3	33.8	37.2	1.4	2.7	2.0	14.0	1.6
1945-46	168,651	8.7	44.8	34.9	1.6	3.1	2.5	-	4.4
1946-47	215,940	13.7	41.5	33.6	1.0	1.2	1.0	7.0	.6
Kansas									
1941-42	572,424	6.4	26.3	22.1	2.2	6.7	6.3	18.5	11.5
1942-43	611,211	5.9	28.7	20.3	2.5	6.1	5.0	21.3	10.3
1943-44	748,763	9.0	29.0	18.0	2.5	6.3	3.8	23.2	8.2
1944-45	561,219	9.5	28.0	17.3	2.0	5.5	3.4	27.2	7.0
1945-46	717,952	11.2	26.8	16.6	1.6	4.0	2.8	31.3	5.7
1946-47	901,279	13.7	24.0	16.5	1.2	3.8	2.8	32.1	5.9

Division	Total	Percentage distribution by varieties							
		New	White	White	Barred	Rhode Is.	White	Cross-	
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	mated	Others

South Atlantic

Delaware

1941-42	311,833	-	5.2	-	10.6	1.1	-	82.9	-
1942-43	375,029	-	3.5	.3	8.4	1.5	-	85.9	.5
1943-44	368,305	-	.5	.3	4.8	.9	-	93.2	.3
1944-45	485,426	-	1.0	.4	3.3	.8	-	94.4	.03
1945-46	476,010	1.2	.2	.2	3.1	.8	-	94.3	.1
1946-47	405,997	1.1	.4	.3	3.2	.8	-	94.0	.1

Virginia

1941-42	624,122	43.1	15.2	1.6	38.8	.7	.3	-	.3
1942-43	636,392	50.8	14.6	1.4	32.7	.3	-	-	.2
1943-44	743,540	47.0	13.0	1.2	24.3	.2	-	14.1	.2
1944-45	649,192	50.3	12.8	1.0	17.5	.5	.06	17.7	.2
1945-46	798,645	56.8	10.0	.5	10.9	.7	-	21.1	.1
1946-47	721,168	64.7	11.3	.8	8.8	1.9	.03	12.2	.2

West Virginia

1941-42	86,127	20.3	30.6	8.5	15.4	6.8	3.7	8.6	6.1
1942-43	132,562	28.2	25.0	8.1	17.2	5.8	2.9	7.5	5.4
1943-44	174,114	40.2	18.1	11.5	5.5	8.3	2.7	8.2	5.5
1944-45	140,857	45.7	18.0	6.7	6.2	4.4	1.6	13.5	3.9
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-

North Carolina

1941-42	567,240	26.5	13.8	2.3	46.5	3.3	-	2.7	2.9
1942-43	548,055	31.8	12.5	2.0	41.0	2.1	-	8.6	2.1
1943-44	706,752	37.5	11.4	2.9	32.8	2.5	-	10.5	2.4
1944-45	509,770	42.3	10.3	2.2	26.7	5.3	.4	11.9	-
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-

South Carolina

1941-42	37,585	12.1	.7	7.8	56.4	18.3	-	-	4.6
1942-43	46,528	16.8	2.8	14.1	36.9	26.4	.1	-	2.9
1943-44	87,371	30.3	5.7	8.0	24.7	24.4	.1	4.4	2.4
1944-45	51,955	36.3	1.7	10.3	21.5	24.6	-	3.3	2.3
1945-46	-	-	-	-	-	-	-	-	-
1946-47	129,192	45.8	-	6.6	16.0	15.7	-	10.2	5.8

		Percentage distribution by varieties							
Division	Total	New	White	White	Barred	Rhode Is.	White	Cross	
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	Mated	Others
Georgia									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	209,960	23.0	13.8	1.1	22.9	15.2	.1	23.2	.7
1943-44	330,132	26.2	6.4	1.2	27.3	10.5	.1	27.5	.9
1944-45	309,645	27.6	3.5	.7	9.4	11.4	-	47.2	.2
1945-46	380,928	37.6	2.8	1.4	7.0	7.9	-	43.2	.1
1946-47	428,681	39.3	2.6	1.1	4.9	7.8	-	44.2	.1
Florida									
1941-42	95,769	57.8	33.1	.6	.9	5.3	-	.2	2.0
1942-43	128,524	67.1	23.2	.7	2.7	4.1	-	.6	1.6
1943-44	135,018	71.8	21.3	1.5	1.5	2.4	.1	-	1.4
1944-45	100,177	70.9	21.9	1.5	.8	4.0	-	-	.9
1945-46	166,831	74.4	15.9	1.0	1.2	4.7	-	2.3	.4
1946-47	155,240	73.6	18.9	1.3	.6	4.0	-	1.3	.3

		Percentage distribution by varieties							
Division	Total	New	White	White	Barred	Rhode Is.	White	Cross	
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	Mated	Others

South Central

Kentucky

1941-42	352,407	7.0	8.4	29.8	25.3	15.4	4.4	-	9.7
1942-43	407,339	9.4	8.9	31.1	26.2	14.3	3.6	-	6.5
1943-44	481,683	12.2	8.8	32.3	24.3	13.2	2.4	1.4	5.3
1944-45	399,627	17.9	7.5	32.0	22.3	12.3	2.2	1.4	4.4
1945-46	443,964	23.3	7.3	31.8	20.2	10.3	2.4	1.4	3.3
1946-47	439,775	29.4	6.4	30.4	19.3	8.5	1.8	1.1	3.1

Tennessee

1941-42	-	-	-	-	-	-	-	-	-
1942-43	-	-	-	-	-	-	-	-	-
1943-44	263,608	18.9	14.4	14.3	27.7	9.5	3.1	1.0	11.2
1944-45	-	-	-	-	-	-	-	-	-
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-

Alabama

1941-42	182,182	40.5	36.3	3.5	7.1	6.5	-	-	6.2
1942-43	186,021	51.8	31.6	2.1	5.5	4.9	.6	2.2	1.3
1943-44	177,702	67.9	18.3	1.4	4.9	3.5	.1	3.2	.7
1944-45	167,798	53.1	21.0	1.8	7.3	3.6	.3	-	2.3
1945-46	186,409	62.1	17.3	2.5	9.4	4.0	1.4	2.0	1.3
1946-47	175,812	69.0	13.7	3.4	7.8	2.6	1.1	0.6	1.3

Mississippi

1941-42	74,307	2.1	38.9	13.7	13.1	18.0	5.8	-	8.3
1942-43	81,777	2.4	26.0	17.1	16.5	15.4	6.3	-	16.2
1943-44	89,792	4.8	22.9	23.1	20.9	13.4	5.0	-	9.9
1944-45	56,887	4.3	14.1	24.3	17.9	15.7	6.0	9.3	8.5
1945-46	67,871	5.9	13.4	24.5	18.2	15.4	5.5	8.9	8.2
1946-47	79,771	18.7	19.0	21.7	16.0	11.7	3.8	3.1	6.1

Arkansas

1941-42	245,381	.3	6.6	27.6	20.8	3.4	38.3	-	3.0
1942-43	159,650	.6	11.6	25.0	19.9	3.0	36.6	.1	3.1
1943-44	161,032	3.8	8.5	21.8	21.0	2.9	39.6	.3	2.2
1944-45	104,480	12.9	9.2	17.8	20.9	3.0	31.0	-	5.1
1945-46	177,026	21.9	8.9	19.7	19.7	2.3	20.2	5.2	2.0
1946-47	131,754	23.0	6.4	19.2	19.9	2.3	18.9	7.1	3.2

		Percentage distribution by varieties							
Division	Total	New	White	White Barred	Rhode Is.	White	Cross		
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	mated	Others
Louisiana									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	114,362	4.2	16.0	13.8	17.0	20.3	3.0	-	25.7
1943-44	124,499	10.4	13.5	17.0	18.8	19.9	3.3	1.2	15.9
1944-45	-	-	-	-	-	-	-	-	-
1945-46	-	-	-	-	-	-	-	-	-
1946-47	-	-	-	-	-	-	-	-	-
Oklahoma									
1941-42	447,034	-	21.3	27.4	11.9	15.6	13.2	-	10.5
1942-43	394,550	.3	25.1	25.5	8.3	11.6	10.2	7.6	11.5
1943-44	493,199	-	28.6	23.7	7.0	10.0	8.4	10.9	11.4
1944-45	356,560	.8	27.6	23.7	6.3	9.6	8.3	14.1	9.5
1945-46	487,618	1.3	22.6	22.5	4.8	8.4	7.9	23.5	9.1
1946-47	440,573	3.3	24.2	23.0	4.3	7.4	7.6	21.9	8.3
Texas									
1941-42	-	-	-	-	-	-	-	-	-
1942-43	-	-	-	-	-	-	-	-	-
1943-44	364,849	1.4	63.0	3.8	5.6	7.1	1.8	8.2	9.1
1944-45	238,962	.9	60.0	2.6	7.3	7.7	2.7	9.8	8.9
1945-46	313,181	4.7	55.3	3.6	5.6	6.8	1.3	12.8	9.8
1946-47	399,711	4.7	53.8	3.8	6.1	5.4	1.5	17.5	7.2

Percentage distribution by varieties									
Division	Total	New	White	White	Barred	Rhode Is.	White	Cross	
State and Year	birds	Hampshire	Leghorn	Rock	Rock	land Red	Wyandotte	mated*	Others

Western

Idaho

1941-42	86,099	27.1	42.4	8.8	3.9	5.8	.7	1.3	9.9
1942-43	80,217	30.2	40.5	6.9	2.7	5.4	.6	10.0	3.8
1943-44	93,624	38.1	34.1	7.0	3.5	3.4	.5	10.3	3.1
1944-45	69,903	39.1	34.7	5.8	3.5	2.3	-	10.2	3.4
1945-46	100,516	41.3	35.2	8.2	2.4	1.3	-	9.3	2.3
1946-47	107,839	48.7	29.2	7.0	1.7	.7	-	10.5	2.1

Wyoming

1941-42									
1942-43	5,362	5.0	45.7	38.8	8.3				2.2
1943-44	8,309	1.5	49.6	33.0	1.3	3.6	.6	.4	10.0
1944-45	7,109	1.4	54.6	29.5	-	8.1	1.7	7.2	4.7
1945-46	7,194	-	59.2	32.0	-	2.5	-	4.8	1.4
1946-47	11,284	6.3	51.1	21.6	-	3.1	1.3	13.7	2.7

Colorado

[illegible]

New Mexico

[illegible]

Arizona

[illegible]

SUMMARY OF BREED DISTRIBUTION IN NATIONAL POULTRY IMPROVEMENT PLAN
Hatchery Supply Flocks, 1941-42 to 1946-47

Total Number of Birds and Percentage Distribution by Varieties for all States Reporting

Year and Number of States Reporting:	Total : birds : percent	New : Hampshire : percent	White : Leghorn : percent	White : Rock : percent	Barred : Rock : percent	Rhode Is- : land Red : percent	White : Wyandotte : percent	Cross- : mated * : percent	Others : percent
1941-42 33 States	10,712,027	21.2	24.1	15.6	16.2	12.5	3.1	2.0	5.2
1942-43 40 States	15,780,980	19.2	26.6	18.3	15.7-	8.9	2.8	3.0	5.5
1943-44 42 States	20,331,999	19.4	25.9	19.7	13.9	8.3	2.6	5.5	4.7
1944-45 39 States	17,573,321	23.2	25.8	17.5	12.4	8.0	2.3	7.2	3.7
1945-46 30 States	19,432,779	23.0	23.7	17.7	11.1	7.8	2.1	11.0	3.7
1946-47 33 States	23,010,894	23.0	25.3	18.0	9.9	6.5	2.1	11.0	4.2
26 States reporting each of past five years									
1942-43	13,504,797	16.5	26.8	19.7	14.8	8.2	3.1	5.2	5.7
1943-44	17,023,198	17.1	23.2	21.3	13.3	7.6	2.9	6.9	4.7
1944-45	15,399,851	19.5	25.5	18.4	12.2	8.0	2.4	10.1	3.8
1945-46	18,703,926	23.0	23.0	18.2	11.1	7.7	2.2	11.2	3.6
1946-47	21,399,648	23.1	24.9	18.4	9.9	6.4	2.2	11.0	4.1

*Data on cross-mated flocks is not truly indicative of the situation since in several States birds in such flocks are reported under the respective purebred heading and in some States these flocks are cross-mated only for a portion of the year to produce broilers; for the remainder of the year they are mated as purebreds for the production of purebred chicks.